



EXPERIENCE
A PERFECT WORLD

LED

Lighting Products





ABOUT US

BARGAD ENTERPRISES PVT. LTD. New delhi INDIA, is today India's most respected and reputed Lighting manufacturer of led lighting products for the lighting industry and among the leading manufactures of led products.

Founded and established as state of art lighting manufacturer in 2012 with focus on quality. R&D capabilities, Market responsiveness and ability to scale up manufacturing capacities for meeting clients need, distinguish us and making as a Preferred manufacturer of Lighting Industry.

We are a pioneer in developing led drivers and luminaries, and what makes us different from other manufacturers is the 3 in 1 capability to design, develop, and manufacturer led products.

We have fully integrated end-to-end product and solution suite to original equipment manufacture ranging from global sourcing, manufacturing, quality testing, and packaging to logistics.

Our products are also certified to be compliant with quality standards issued by the Bureau of Indian Standards.

A proactive, forward-thinking organization that has scaled all odds in creating an integrated country level manufacturing setup

BARGAD ENTERPRISES PVT. LTD is today moving forward with a well-defined, time bound executable plan to establish a strong footprint for quality lighting solutions.

BARGAD ENTERPRISES PVT. LTD

Enjoy The Quality

LED HAMMER BULB WITH DOB PLUS SPD

9 WATT



SPECIFICATION

Wattage	9W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	3KV
High Voltage Pass	440V
Colours Available	CW

12 WATT



SPECIFICATION

Wattage	12W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4KV
High Voltage Pass	440V
Colours Available	CW


16 WATT



SPECIFICATION

Wattage	16W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4KV
High Voltage Pass	440V
Colours Available	CW

Standard Pkg. 50 Pcs.




20 WATT



SPECIFICATION

Wattage	20W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4KV
High Voltage Pass	440V
Colours Available	CW

Standard Pkg. 50 Pcs.




30 WATT



SPECIFICATION

Wattage	30W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4KV
High Voltage Pass	440V
Colours Available	CW

Standard Pkg. 40 Pcs.




40 WATT



SPECIFICATION

Wattage	40W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4KV
High Voltage Pass	440V
Colours Available	CW

Standard Pkg. 30 Pcs.




50 WATT



SPECIFICATION

Wattage	50W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4KV
High Voltage Pass	440V
Colours Available	CW

Standard Pkg. 20 Pcs.



LED MOVABLE SPOT LIGHT

2 WATT



SPOT LIGHT

SPECIFICATION

Wattage	2W
Power Factor	>0.90 (HPF)
Voltage Range	110-300
Surge Capacity	2.5 KV
High Voltage Pass	350V

Colours Available

CW, WW, RED, GREEN, BLUE, PINK

0.5 WATT



NIGHT LAMP

SPECIFICATION

Wattage	0.5W
Power Factor	>0.50 (LPF)
Voltage Range	180-280
Surge Capacity	1KV
High Voltage Pass	280V

Colours Available

CW, WW, RED, GREEN, BLUE



4 WATT

Movable Spot Light With DOB




SPECIFICATION

Wattage	4W
Power Factor	>0.50 (LPF)
Voltage Range	110-300
Surge Capacity	3.5 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Dimensions

Cut Size: 51 mm



7 WATT

Movable Spot Light With DOB




SPECIFICATION

Wattage	7W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Dimensions

Cut Size: 76 mm



12 WATT

Movable Spot Light With Driver




SPECIFICATION

Wattage	12W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW


Dimensions

Cut Size : 98 mm



7 WATT

Prima Spot Light With DOB




SPECIFICATION

Wattage	7W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Dimensions

Cut Size : 73 mm



Body Colour Available
White Body with Rose Gold Reflector
Black Body with Rose Gold Reflector

LED CONCEALED & DOWN LIGHT

3 WATT



MINI DEEP

SPECIFICATION

Wattage	3W
Power Factor	>0.90 (HPF)
Voltage Range	180-350
Surge Capacity	4 KV
High Voltage Pass	440V

Colours Available

CW, WW, RED, GREEN, BLUE, PINK

5 WATT



SURFACE STRIKER

SPECIFICATION

Wattage	5W
Power Factor	>0.90 (HPF)
Voltage Range	180-280
Surge Capacity	2 KV
High Voltage Pass	350V
Colours Available	CW, WW



Standard Pkg. 100 Pcs.

6 WATT

Slim Concealed Light With DOB



SPECIFICATION


Wattage	6W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V

Colours Available

CW, WW, NW, RED, GREEN, BLUE, PINK

Dimensions

Cut Size : 68 mm



9 WATT

Aluminium Concealed With DOB




SPECIFICATION

Wattage	9W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Standard Pkg. 50 Pcs.

Dimensions

Cut Size : 75 mm



LED CCT VARIATION LIGHT 3 IN 1

8 WATT

Tri Colour Down Light




SPECIFICATION

Wattage	8W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW+WW=NW

Standard Pkg. 50 Pcs.

Dimensions

Cut Size : 74 mm



8+8 WATT

Twin Down Light 3 In 1 With DOB




SPECIFICATION

Wattage	8W + 8W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	2.5 KV
High Voltage Pass	440V
Colours Available	CW+WW=NW

Standard Pkg. 50 Pcs.

Dimensions

Cut Size : 74 mm




LED BULK HEAD



10 WATT

Bulk Head With Driver - IP 65 Water Proof


**For
Outdoor
Use**



SPECIFICATION

Wattage	10W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW


Dimension



20 WATT

Bulk Head With Driver - IP 65 Water Proof

**For
Outdoor
Use**




SPECIFICATION

Wattage	20W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW

Standard Pkg. 20 Pcs.


Dimension



LED A- SERIES ADJUSTABLE PANEL

12 WATT

**A-Series Full Diffuser Adjustable Panel
Round & Square with Driver**




SPECIFICATION

Wattage	12W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW


Standard Pkg. 20 Pcs.

Dimensions



24 WATT

**A-Series Full Diffuser Adjustable Panel
Round & Square with Driver**




SPECIFICATION

Wattage	24W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW


Standard Pkg. 20 Pcs.

Dimensions




12 WATT

Surface Rings (Round & Square)



24 WATT

Surface Rings (Round & Square)



LED S - PRO SERIES PANEL WITH DOB



8 WATT

S-Pro Series Slim Panel Round & Square




SPECIFICATION

Wattage	8W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V

Colours Available

CW, WW, NW, TRI COLOUR

Dimension



12 WATT


S-Pro Series Slim Panel Round & Square



SPECIFICATION

Wattage	12W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Dimension



Standard Pkg. 40 Pcs.

15 WATT

S-Pro Series Slim Panel Round & Square




SPECIFICATION

Wattage	15W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V

Colours Available

CW, WW, NW, TRI COLOUR

Dimension



Standard Pkg. 40 Pcs.

22 WATT


S-Pro Series Slim Panel Round & Square



SPECIFICATION

Wattage	22W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Dimension



Standard Pkg. 20 Pcs.

WARM WHITE (3000k)

COOL WHITE (6500k)

NATURAL WHITE (4000k)




LED WALL LIGHT



4 WATT


2 Way LED Ball Light for Outdoor Use IP 65

Standard Pkg. 20 Pcs.



SPECIFICATION

Wattage	4W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	WW



4 WATT


4 Way LED Ball Light for Outdoor Use IP 65

Standard Pkg. 20 Pcs.



SPECIFICATION

Wattage	8W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	WW



3 WATT


LED Half K Wall Light for Outdoor Use IP 65

Standard Pkg. 40 Pcs.



SPECIFICATION


Wattage	3W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	WW



6 WATT


LED Full K Wall Light for Outdoor Use IP 65

Standard Pkg. 20 Pcs.



SPECIFICATION

Wattage	6W
Power Factor	>0.90 (HPF)
Voltage Range	110-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	WW



**Up & Down
Wall Lamp**

Modern

Focused

Durable




LED COB LIGHT ALUMINIUM CASTING



7 WATT

COB Aluminum Casting




SPECIFICATION

Wattage	7W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Standard Pkg. 20 Pcs.


Dimensions

Cut Size : 55 mm



12 WATT

COB Aluminum Casting




SPECIFICATION

Wattage	12W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Standard Pkg. 20 Pcs.

Dimensions

Cut Size : 72 mm



12 WATT

COB Aluminum Casting Metallica Series



Black Housing with Rose Gold


SPECIFICATION

Wattage	12W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Standard Pkg. 20 Pcs.


Dimensions

Cut Size : 75 mm



18 WATT

COB Aluminum Casting




SPECIFICATION

Wattage	18W
Power Factor	>0.95 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Standard Pkg. 20 Pcs.

Dimensions

Cut Size : 80 mm



LED COB SURFACE CYLINDER LIGHT



7 WATT

COB Surface Cylinder Aluminum Casting




Black Housing with
Rose Gold Reflector

SPECIFICATION

Wattage	7W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Standard Pkg. 20 Pcs.



12 WATT

COB Surface Cylinder Aluminum Casting




Black Housing with
Rose Gold Reflector

SPECIFICATION

Wattage	12W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Standard Pkg. 20 Pcs.



18 WATT

COB Surface Cylinder Aluminum Casting




Black Housing with
Rose Gold Reflector

SPECIFICATION

Wattage	18W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Standard Pkg. 20 Pcs.



CHOOSE YOUR PERFECT GLOW

COOL WHITE
6500k

NATURAL WHITE
4000k

WARM WHITE
3000k

LED TRACK & WALL SPOT LIGHT



10 WATT

LED Track Light & Wall Spot Light Aluminum Casting


Standard Pkg. 20 Pcs.



SPECIFICATION

Wattage	10W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Dimensions



20 WATT

LED Track Light & Wall Spot Light Aluminum Casting


Standard Pkg. 20 Pcs.



SPECIFICATION

Wattage	20W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Dimensions



30 WATT

LED Track Light & Wall Spot Light Aluminum Casting


Standard Pkg. 20 Pcs.



SPECIFICATION

Wattage	30W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW, WW, NW

Dimensions



LED STREET & FLOOD LIGHT



20 WATT

Polycarbonate Flood Light



SPECIFICATION

Wattage	20W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW

30 WATT

Polycarbonate Street Light



SPECIFICATION

Wattage	30W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW

50 WATT

Standard Flood Light With Hybrid Dob

**For
Outdoor
Use**




SPECIFICATION

Wattage	50W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	6 KV
High Voltage Pass	440V
Colours Available	CW, WW

Standard Pkg. 20 Pcs.

Dimension



100 WATT

Standard Flood Light With Hybrid Dob

**For
Outdoor
Use**




SPECIFICATION

Wattage	100W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	6 KV
High Voltage Pass	440V
Colours Available	CW, WW

Standard Pkg. 10 Pcs.

Dimension



LED UFO HIGH BAY LIGHT

100 WATT

LED UFO High Bay Light with Hybrid DOB

**For
Outdoor
Use**




SPECIFICATION

Wattage	100W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	6 KV
High Voltage Pass	440V
Colours Available	CW

Standard Pkg. 10 Pcs.

Dimension



200 WATT

LED UFO High Bay Light with Hybrid DOB

**For
Outdoor
Use**




SPECIFICATION

Wattage	200W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	6 KV
High Voltage Pass	440V
Colours Available	CW

Standard Pkg. 10 Pcs.

Dimension



LED FLOOD LIGHT (IP 66) LENS MODEL



30 WATT

Aluminum Casting Flood Light With Driver

Standard Pkg. 20 Pcs.


**For
Outdoor
Use**



SPECIFICATION

Wattage	30W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4 KV
High Voltage Pass	440V
Colours Available	CW

Dimension



50 WATT

Aluminum Casting Flood Light With Driver

Standard Pkg. 10 Pcs.


**For
Outdoor
Use**



SPECIFICATION

Wattage	50W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	6 KV
High Voltage Pass	440V
Colours Available	CW

Dimension



100 WATT

Aluminum Casting Flood Light With Driver

Standard Pkg. 6 Pcs.


**For
Outdoor
Use**



SPECIFICATION

Wattage	100W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	6 KV
High Voltage Pass	440V
Colours Available	CW

Dimension



200 WATT

Aluminum Casting Flood Light With Driver

Standard Pkg. 3 Pcs.


**For
Outdoor
Use**



SPECIFICATION

Wattage	200W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	6 KV
High Voltage Pass	440V
Colours Available	CW

Dimension



LED STREET LIGHT (IP 66) LENS MODEL



25 WATT

Aluminum Casting Street Light With Driver


**For
Outdoor
Use**



SPECIFICATION

Wattage	25W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4KV
High Voltage Pass	440V
Colours Available	CW

Dimension



Standard Pkg. 20 Pcs.

36 WATT

Aluminum Casting Street Light With Driver


**For
Outdoor
Use**



SPECIFICATION

Wattage	36W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	4KV
High Voltage Pass	440V
Colours Available	CW

Dimension



Standard Pkg. 10 Pcs.

50 WATT

Aluminum Casting Street Light With Driver


**For
Outdoor
Use**



SPECIFICATION

Wattage	50W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	6KV
High Voltage Pass	440V
Colours Available	CW

Dimension



Standard Pkg. 6 Pcs.

100 WATT

Aluminum Casting Street Light With Driver


**For
Outdoor
Use**




SPECIFICATION

Wattage	100W
Power Factor	>0.90 (HPF)
Voltage Range	100-350
Surge Capacity	6KV
High Voltage Pass	440V
Colours Available	CW

Dimension



LED ROPE LIGHT / 120 LED's / 8 WATT / METER



LED ROPE LIGHT / 120 LED's / 8 WATT / METER

TECHNICAL SPECIFICATIONS :-

LED CHIP	2835 LED
LED QUANTITY	120 LED's PER METER
PCB WIDTH	8MM
LENGTH / REEL	50 METER
CUTTING LENGTH	1 METER
POWER	8 WATT / METER
VOLTAGE	220V AC
CRI	80 CRI
IP GRADE	IP 65
WIDTH	6 X 11 MM
COLOUR	3000K, 4000K, 6500K

RED

GREEN

BLUE

PINK


AMBER

IB



LED STRIP LIGHT 240 LED's / METER

24 WATT / METER | 12V & 24V DC | 30Z



PRODUCT 240 LED / METER LED STRIP

TECHNICAL SPECIFICATIONS :-

LED CHIP	2835 LED
LED QUANTITY	240 LED's PER METER
PCB WIDTH	10MM
LENGTH / REEL	5 METER
CUTTING LENGTH	13MM & 25 MM
POWER	24 WATT / METER
VOLTAGE	12V & 24V DC
CRI	70 / 80 / 90 CRI
IP GRADE	IP 20
COLOUR	3000K, 4000K, 6500K

RED

GREEN

BLUE

PINK

AMBER

IB



VIEWING
ANGLE



28 LUMEN
/LED+



DIMMABLE*



FLEXIBLE
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



IP 65 RATED
FOR OUTDOOR



COPPER
PCB



TOP
BENDING

LED POWER SUPPLY FOR STRIP & ROPE LIGHT | SLEEK SLIM 12V



POWER SUPPLY FOR STRIP LIGHT



POWER SUPPLY FOR ROPE LIGHT 8 AMP ROPE CORD



LED STRIP SLEEK SLIM POWER SUPPLY

TECHNICAL SPECIFICATIONS :-

INPUT VOLTAGE	OUTPUT VOLTAGE	CURRENT	EFFICIENCY	POWER	DIMENSIONS
176V-264V	12V	3 AMP	± 85%	36 WATT	100X40X24 MM
176V-264V	12V	5 AMP	± 85%	60 WATT	114X50X24 MM
176V-264V	12V	10 AMP	± 85%	120 WATT	138X50X24 MM
176V-264V	12V	16.7 AMP	± 85%	200 WATT	178X50X24 MM
176V-264V	12V	25 AMP	± 85%	300 WATT	205X50X24 MM
176V-264V	12V	33.3 AMP	± 85%	400 WATT	205X50X24 MM

PRODUCT FEATURES :-

- COMPACT METAL BUILT.
- COST EFFECTIVE.
- FAST HEAT DISSIPATION, CORROSION PROOF.
- FULL LOAD, HIGH TEMPERATURE BURNING/AGING TEST.



HEAVY
DUTY



EASY
INSTALLATION



COST
EFFECTIVE



85%
EFFICIENT



GREEN
PRODUCT



SUPERIOR
QUALITY



ENERGY
SAVER



MAINTENANCE
FREE



BETTER HEAT
MANAGEMENT



12V & 24V
INPUTS*

PLANT & MACHINERY



BARGAD ENTERPRISES PVT. LTD.

Dear Business Associates & Well Wishers,

Greetings,

We Welcome you to BARGAD world and we thank you for the patronage provided to us over a period of times since its inception in 1972 we have been manufacturing and supplying electrical goods and services. We have proven our strength in providing designer switches, lighting, switchgear, wires, fans ensuring high quality standards and safety.

The journey would have not been successful without your trust and faith in us. We are confident that this trust reposed in us will go a long way towards harvesting quality product and services in every form of your association with us.

Our pursuit of manufacturing high quality aesthetic product that meet all electrical parameters have not gone unnoticed Product development is a way of life in BARGAD and we will continue to design our products in a line with the latest technology and taste. A recent addition to our range is automation in switches that not only gives ease of operation but also offers comfort to the user.

We thank you once again for providing us an opportunity to serve you and we stand committed to providing you with the best of the technology and products.

Best wishes

BARGAD
COMPLETE ELECTRICAL SOLUTION

50 Mtr
Simply Brighter, Simply Better.

120 Led Rope Light

Smart Lighting Superior Glow



Long Life Energy Saving Glare Free IP65 Rating

BARGAD
COMPLETE ELECTRICAL SOLUTION

120 LED Rope Light



BARGAD
COMPLETE ELECTRICAL SOLUTION

50 Mtr
Simply Brighter, Simply Better.

120 Led Rope Light

Smart Lighting Superior Glow



Long Life Energy Saving Glare Free IP65 Rating

BARGAD
COMPLETE ELECTRICAL SOLUTION

• Innovative • Creative
• Technology

7W LED Prima Spot Light



FEATURES
HIGH QUALITY
BRIGHT LIGHT
EASY INSTALLATION

HPF: PF>0.95

BARGAD
COMPLETE ELECTRICAL SOLUTION

5 Meter Length

LED Strip Light

Brighten with Style



Bright & Efficient Lighting

Energy Saving with Long Life

IP20 Rated for indoor Use

Superior adhesive for easy and reliable mounting

26 Lumens/LED With 2835 SMD

BARGAD
COMPLETE ELECTRICAL SOLUTION

• Innovative • Creative
• Technology

7W LED Movable Spot Light



FEATURES
HIGH QUALITY
BRIGHT LIGHT
EASY INSTALLATION

HPF: PF>0.95

BARGAD
COMPLETE ELECTRICAL SOLUTION

• Innovative • Creative
• Technology

8W LED Liva Tri-Colour Down Light



FEATURES
HIGH QUALITY
BRIGHT LIGHT
EASY INSTALLATION

HPF: PF>0.95

BARGAD
COMPLETE ELECTRICAL SOLUTION

• Innovative • Creative
• Technology

8W+8W LED Twin Down Light 2 in 1



FEATURES
HIGH QUALITY
BRIGHT LIGHT
EASY INSTALLATION

HPF: PF>0.95

BARGAD
COMPLETE ELECTRICAL SOLUTION

• Innovative • Creative
• Technology

100W LED Street Light (IP-66)

Lens Model with Driver



FEATURES
HIGH QUALITY BRIGHT LIGHT AREA BEAUTIFUL FINISHING

Internationally approved

ISO 9001 CE eco

HPF: PF>0.95



Mfd. By :

BARGAD ENTERPRISES PVT. LTD.

Address : 9-B, Pandit Park, Krishna Nagar, Delhi-110051

E-Mail : bargadentp@gmail.com

Website : www.bargadenterprises.com

TERMS & CONDITIONS :

- This cancels all our previous price List.
- Price are subject to change without prior notice.
- All applicable taxes are extra.
- All price are F.O.R. factory go-down.
- All items will be supplied in standard packing only.
- All disputes subject to Delhi Jurisdiction.



DEALER / DISTRIBUTOR:



Follow us on :

